


LOSETHE GREASE



MINIMIZER PRODUCTS:

5TH WHEEL SLICK PLATE












- The Minimizer Slick Plate's non-stick polymer surface eliminates the need to grease the 5th wheel plate.
- The plate protects all critical areas from wear and tear from use or the elements, without compromising the surface of the 5th wheel plate.
- Kits come complete with pre-drilled polyethylene plate, ram bars and all necessary mounting hardware.
- Minimizer 5 year warranty.
- Many makes and models available including: Holland, Fontaine, Jost, ASF Simplex, Reese, & Robin Industries.
- INSERT STYLE SLICK PLATE NOW AVAILABLE FOR HOLLAND FWAL, FW31 & FW33 MODELS!

NOT SURE WHICH STYLE WILL FIT?

Use the height, width, and throat dimensions to help!

A: Height

B: Width



CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE ABOUT CURRENT AVAILABLE SLICK PLATE MODELS AND FUTURE RELEASES!

MINIMIZER PRODUCTS:

TRAILER SLICK PLATE

Part #	Dimensions	King Pin Setback
102340	36" x 26" x 1/4"	12" - 14"
Part #	Dimensions	King Pin Setback
102346	36" x 28" x 1/4"	15" - 17"
Part #	Dimensions	King Pin Setback
102344	36" x 30" x 1/4"	18" - 20"
Part #	Dimensions	King Pin Setback
102345	36" x 33" x 1/4"	21" - 24"
Part #	Dimensions	King Pin Setback
102347	36" x 37" x 1/4"	25" - 27"
Part #	Dimensions	King Pin Setback
102348	36" x 43" x 1/4"	28" - 30"
Part #	Dimensions	King Pin Setback
102341	36" x 45" x 1/4"	31" - 36"
Part #	Dimensions	King Pin Setback
102342	36" x 48" x 1/4"	37" - 52" 。
Part #	Dimensions	King Pin Setback
102343	36" x 30" x 1/4"	Frameless Dump °

*Kits come complete with Trailer Click Plate and all necessary mounting hardware



The Minimizer Trailer Slick Plates promote a cleaner environment by removing the need for greasing the trailer coupler plate and is a good alternative when you cannot use the Minimizer 5™ Wheel Slick Plate*.

- Reduces wear on 5th wheels & Upper Coupler.
- Eliminates the need to grease.
- Installs on existing and new trailers.
- Increases steer tire life.
- Easier trailer handling for drivers.
- A strong, self-lubricating solid polymer plate.
- Designed for frequent hook and drop applications.
- Available in many different sizes.



*Warning: DO NOT use a Minimizer 5th Wheel Slick Plate, Trailer Slick Plate, Slick Disk, or a Mfg Low Lube 5th Whee Topplate in conjunction with one another. Doing so could cause a coupling failure. DO NOT INSTALL the Trailer Slick Plate if it extends past the front edge of the trailer or the upper bolster plate.


NOT SURE WHICH STYLE WILL FIT?

Use the height, width, and king pin setback dimensions to help!

A: Height

B: Width

C: KP Setback



 KP Setback = Measurement from the front edge of the trailer to the center of the king pin.

CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE ABOUT CURRENT AVAILABLE TRAILER SLICK PLATE MODELS AND FUTURE RELEASES!

MINIMIZER PRODUCTS: SLICK DISK



SLICK. JUST LIKE THE REST OF OUR PRODUCTS.

- Protects the 5th wheel against friction and wear that can be caused by normal towing
- Nearly eliminates the need for greasing the face of the 5th wheel plate
- Installs in minutes
- Disk comes with clip (Part# PACCSLICKCLIP)
- Please reference Part# ACCSLICK32ASSY



WE HAVE THE PERFECT SLICK PRODUCT FOR YOU!

Save time and money with products that will make you the envy of the entire industry.





CALL 1-800-248-3855 OR VISIT WWW.MINIMIZER.COM TO LEARN MORE!



Minimizer, LLC

500 Minimizer Way, Blooming Prairie, MN 55917 1-800-248-3855 | Fax: 507-583-7540 www.minimizer.com